	Application No.	Applicant(s)
Notice of Allowability	09/707,430	CORNAY, PAUL J.
	Examiner	Art Unit
	Charles E. Cooley	1723
The MAILING DATE of this communication apparent of the second of the Office of ALLOWABILITY IS NOT A GRANT OF PATENT of the Office or upon petition by the applicant. See 37 CFR 1.3	S (OR REMAINS) CLOSED ir 5) or other appropriate commu RIGHTS. This application is s	n this application. If not included unication will be mailed in due course. THIS
 This communication is responsive to the request for RCE 	<u> Filed 18 MAY 2004</u> .	
2. \square The allowed claim(s) is/are <u>4-6 and 13-16</u> .		
3. 🛛 The drawings filed on 29 May 2001 are accepted by the	Examiner.	
 4. Acknowledgment is made of a claim for foreign priority a) All b) Some* c) None of the: 1. Certified copies of the priority documents had: 2. Certified copies of the priority documents had: 3. Copies of the certified copies of the priority documents had: International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	ve been received. ve been received in Applicatio	n No
Applicant has THREE MONTHS FROM THE "MAILING DATE noted below. Failure to timely comply will result in ABANDON THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be sub	IMENT of this application.	,
INFORMAL PATENT APPLICATION (PTO-152) which gi	ves reason(s) why the oath or	declaration is deficient.
6. CORRECTED DRAWINGS (as "replacement sheets") m		
(a) ☐ including changes required by the Notice of Draftspe	-	v (PTO-948) attached
 1) ☐ hereto or 2) ☐ to Paper No./Mail Date (b) ☐ including changes required by the attached Examine Paper No./Mail Date 		in the Office action of
Identifying indicia such as the application number (see 37 CFR each sheet. Replacement sheet(s) should be labeled as such in	1.84(c)) should be written on the	ne drawings in the front (not the back) of R 1.121(d).
 DEPOSIT OF and/or INFORMATION about the dep attached Examiner's comment regarding REQUIREMEN 	osit of BIOLOGICAL MATE	ERIAL must be submitted. Note the
Attachment(s) 1. □ Notice of References Cited (PTO-892)		formal Patent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948		ummary (PTO-413), Mail Date
 Information Disclosure Statements (PTO-1449 or PTO/SB Paper No./Mail Date <u>05182004</u> Examiner's Comment Regarding Requirement for Deposit of Riological Material 	7. ☐ Examiner's8. ☐ Examiner's	Amendment/Comment Statement of Reasons for Allowance
of Biological Material	9. 🗍 Other	

Application/Control Number: 09/707,430 Page 2

Art Unit: 1723

REASONS FOR ALLOWANCE

1. The following is an examiner's statement of reasons for allowance:

The patent documents submitted 18 MAY 2004 with the request for RCE do not disclose the claimed centrifuge. The "G-Force corp." Investor Brochure submitted 18 MAY 2004 does not disclose the claimed centrifuge, particularly the recited baffle comprising one or more tube walls, said baffle attached to said central body and extending into said chamber, said baffle defining a flow path between said one or more tube walls within said chamber or the recited baffle attached to said central body and extending into said chamber, said baffle defining a flow path within said chamber; said flow path including a first exit path for guiding said lighter material out of said housing and a second exit path for guiding said heavier material out of said housing. Claims 4-6 and 13-16 thus remain allowable over the prior art of record.

- 2. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."
- 3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Charles E. Cooley whose telephone number is (571) 272-1139. The examiner can normally be reached on Mon-Fri. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 09/707,430 Page 3

Art Unit: 1723

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Charles E. Cooley Primary Examiner Art Unit 1723

Charles Goly

16 June 2004